WHAT IS CLAIMED IS:

1 1. A multipurpose surgical sharps handling device

17

- 2 comprising in combination at least two of the following
- 3 structures:
- a system for temporarily holding a scalpel for no-
- 5 hands passing of the scalpel between a nurse and a
- 6 surgeon,
- 7 a gapped magnetic zone for no-hands passing of a
- 8 suture needle,
- 9 a closable used interoperative sharps storage
- 10 container, and
- 11 a suture pack carrier.
 - 1 2. A sharps handling device as set forth in claim
 - 2 1, including all of said structures.
 - 3. A device for no-hands transfer of a scalpel
 - 2 comprising an injection-molded thermoplastic body
 - 3 including a supporting base,
 - a scalpel blade receiver adjacent one end of the
 - 5 base,
 - a scalpel handle grip adjacent an end of the base
 - 7 opposite said one end, the receiver being arranged to
 - 8 limit freedom of movement of the blade laterally while
 - 9 allowing pitch movement of a handle of a scalpel, the
- 10 handle grip being arranged to receive a mid-section of
- 11 the handle of a scalpel in a pitch movement towards the
- 12 base while its blade is received in the receiver, the
- 13 grip being arranged to resist longitudinal reverse
- 14 movement of the scalpel blade out of the receiver and the
- 15 grip and pitch movement out of the grip with a friction
- 16 force sufficient to reliably hold a scalpel handle in a
- 17 gripped position while the device is handled by a
- 18 surgical nurse to present the scalpel handle in a

- 19 vertical or near vertical position for grasping by a
- 20 surgeon.
- 1 4. A device as set forth in claim 3, wherein the
- 2 body includes a finger-grip area to enable the nurse to
- 3 grasp the device.
- 5. A device as set forth in claim 4, including
- 2 laterally extending finger guards on opposite sides of an
- 3 area between the grip and the receiver.
- 1 6. A device as set forth in claim 5, wherein the
- 2 finger guards extend in a plane above the location of a
- 3 scalpel in the receiver and in the grip.
- 7. A device as set forth in claim 6, wherein the
- 2 finger guards have portions remote from said area that
- 3 extend downward from said plane.
- 1 8. A device as set forth in claim 4, wherein the
- 2 finger grip area has a wasp waist configuration to
- 3 facilitate grasping of the device.
- 9. A device as set forth in claim 3, wherein the
- 2 blade receiver includes a narrow throat area to laterally
- 3 confine the scalpel blade.
- 1 10. A device as set forth in claim 9, wherein the
- 2 throat area includes a thin membrane that is adapted to
- 3 be cut by the scalpel blade.
- 1 11. A device as set forth in claim 3, wherein the
- 2 base includes a needle presentation zone including an
- 3 open slot and magnetic sheet material on opposite sides

- 4 of said slot, said slot being adapted to receive the jaws
- 5 of a needle holder.
- 1 12. A device as set forth in claim 3, including a
- 2 restraining portion that prevents a scalpel blade from
- 3 being released in an upward direction.
- 1 13. A multi-purpose surgical sharps handling device
- 2 comprising an injection-molded thermoplastic body
- 3 including a scalpel holder and a closable sharps
- 4 receiving container, the scalpel holder having a blade
- 5 receiving zone and a handle gripping area that cooperate
- 6 to support a scalpel in a cantilever arrangement whereby
- 7 a substantial portion of the length of the scalpel handle
- 8 is free of obstruction and it is thereby readily grasped,
- 9 the receiving chamber being adjacent said blade receiving
- zone and remote from said gripping area.
- 1 14. A surgical sharps handling device as set forth
- 2 in claim 13, wherein said receiving container has a
- 3 hinged cover and a releasable latch to maintain said
- 4 cover closed on said container.
- 1 15. A surgical sharps handling device as set forth
- 2 in claim 13, wherein said receiving container comprises a
- 3 shallow box including a bottom wall, said bottom wall
- 4 having a magnetic sheet for holding sharps.
- 1 16. A surgical sharps handling device as set forth
- 2 in claim 15, wherein said magnetic sheet includes a grid
- 3 to facilitate counting of sharps received in said
- 4 container.
- 1 17. A surgical sharps handling device as set forth
- 2 in claim 16, including a cover for said container, said

- 3 cover being sufficiently transparent to permit counting
- 4 of sharps in said container when said cover is closed.
- 1 18. A surgical sharps handling device as set forth
- 2 in claim 13, including finger quards on opposite sides of
- 3 said scalpel holder.
- 1 19. A surgical sharps handling device as set forth
- 2 in claim 13, wherein said scalpel holder has a wasp waist
- 3 area to obtain a positive finger hold of the device.
- 1 20. A surgical sharps handling device as set forth
- 2 in claim 13, wherein said scalpel holder includes a
- 3 magnetic needle holding area having an open slot, the
- 4 magnetic holding area straddling said slot.
- 1 21. A surgical sharps handling device as set forth
- 2 in claim 13, wherein the scalpel holder and sharps
- 3 receiving container are accessible from a common face of
- 4 the device.
- 1 22. A surgical sharps handling device as set forth
- 2 in claim 21, including a suture pack mounting zone on a
- 3 face of said device opposite said common face.
- 1 23. A surgical sharps handling device as set forth
- 2 in claim 22, wherein said mounting zone is partially
- 3 formed by legs on said opposite face.
- 1 24. A surgical sharps handling device as set forth
- 2. in claim 23, wherein said legs include pressure-sensitive
- 3 adhesive for adhering said device to a supporting
- 4 surface.

- 1 25. A surgical sharps handling device as set forth
- 2 in claim 13, including a magnetic sheet disposed in said
- 3 container to magnetically retain sharps in said
- 4 container.
- 1 26. A surgical sharps handling device as set forth
- 2 in claim 25, including a grid visually dividing the
- 3 magnetic sheet in the container to facilitate counting of
- 4 sharps deposited therein.
- 1 27. A device as set forth in claim 9, including a
- 2 V-shaped notch for receiving and guiding the scalpel
- 3 blade.
- 1 28. A device as set forth in claim 13, wherein a
- 2 portion of said body has an exterior non-slip surface.